



हिमालय टाइम्स  
२०७८ साउन ११ सोमबार

अर्थ



सोलुदुधकुण्ड नगरपालिका

ॐ नमो भगवते वासुदेवाय

नगर कार्यपालिकाको कार्यालय

सल्लेरी, सोलुखुम्बु

प्रदेश नं. १ नेपाल



**क्याटलग सपिड विधिबाट गाडी खरिद सम्बन्धी सूचना**

प्रकाशित मिति : २०७८/०४/११

यस कार्यालयलाई आवश्यक पर्ने एम्बुलेन्स र ट्रिपर सार्वजनिक खरिद ऐन, २०६३ को दफा ८ को उपदफा १ (क) ८ तथा सार्वजनिक खरिद नियमावली, २०६४ को नियम ३१ (ख) बमोजिम खरिद गर्न त्यस्तो खालको सवारी साधन उत्पादन गर्ने इच्छुक कम्पनी वा सो को अधिकारिक विक्रेताले आ-आफ्नो फर्म दर्ता, भ्याट दर्ता, आ.व.०७७/०७८ को कर चुक्ता र Letter Of Authorization का प्रमाणित प्रतिलिपिहरु समावेश गरी सूचीकृत हुन सार्वजनिक खरिद नियमावली २०६४ को नियम ३१ 'ख' को उपनियम २ अनुसारका विवरण संलग्न गरी मिति २०७८/०४/२५ गते भित्र यस कार्यालयमा निवेदन दर्ता गराउनु हुन सम्बन्धित सबैको जानकारीको लागि यो सूचना प्रकाशित गरिएको छ।  
नोट:- सवारी साधनको संक्षिप्त स्पेसिफिकेशन यस कार्यालयको वेब साईट [solududhkundamun@gov.np](mailto:solududhkundamun@gov.np) मा राखिएको छ।

प्रमुख प्रशासकीय अधिकृत

सोलुदुधकुण्ड नगर कार्यपालिकाको कार्यालय, सल्लेरी

आशुतोष प्रिन्टर्स, बालकुमारी, ललितपुर, कार्यालय : मध्यबानेश्वर, काठमाडौं, फोन : ४४७८१७७, फ्याक्स : ४४८०१५४, पौ.व.नं. ११६७२, Email: [desk@himalayatimes.com.np](mailto:desk@himalayatimes.com.np)



## Technical Specification of 4\*4 WD Ambulance

S.No.	CRITERIA	REQUIREMENTS	OFFERED SPECIFICATTON
1	General	SUV or MUV Hard top jeep, <b>Four wheel drive, Right hand drive</b> suitable for smooth economical performance, good traction and stability needed for safe driving in rough and hilly road condition of Nepal at an altitude up to 4000 meter and in ambient temperature between -10 degree C to 50 degree C Maximum Gross Vehicle Weight (GVW) of the vehicle should be 2500 (+- 15%) kg.	
2	Engine	<b>4 Stroke</b> Water cooled diesel engine, <b>Developing maximum rated power output not less than 46 kwat governed RPM and Maximum engine torque not less than 110 Nm at rated RPM;</b> the engine shaft be fully equipped with all necessary Item/accessories and controlling devices for safe, efficient full load aeration of the vehicle atoperating conditions	
3	Emission Standard	The emission standard of the offered vehicle must be in compliance with of superior than the applicable emission standard as <b>prescribed by Nepal vehicle mass emission standard which is to be certified by Department of Transport Management, Nepal.</b>	
4	Gauges	Fitted with all the gauges, indicator signals as necessary for efficient operation, functional monitoring, vehicle, performance and maintenance the includes (but not limited to) battery charge indicator, water temperature, fuel, oil pressure, transmission gauge etc.	
5	Transmission	<b>Manual shift at least five forward and one revalue</b> , all forward synchromesh	
6	Suspension	Leaf springs/ coil springs / Torsion bar / shock absorber at both front and rear	
7	Ground Clearance	<b>Minimum 160 mm (High ground clearance preferred)</b>	
8	Tyres	Standard Size.	
9	Steering	Power steering	
10	Brakes	Front ventilated Disc type	
		Rear Disc or Drum type, Hydraulic operated on all wheels	
		Parking Brake	
22	Cab	2 sided doors and 1 back door, all metallic cabin with insulated roof, laminated glass windscreen, wipers, glass windows on doors, through ventilation, comfortable and adjustable seats for driver and co-passenger, Mo sun visors, and Mo rear view mirror.	
12	Maximum turning radius	7 m	
13	Clutch	Single dry plate.	



14	Chassis and frame	Steel, Heavy duty, Rigid, with toe hook.
15	Instruction	All signs and instruction in the vehicle shall be in English.
16	Vehicle Essential Accessories	1. Head light, tail and rear light, reversing light and turn signal, Cabin light, front and rear fog lamps. 2. Speedometer/Odometer 3. Spare wheel with tyre and tube. 4. Suitable jack with handle 5. Front seat belt for driver and co passenger 6. Audio System CD / MP 3 player with Radio MW / FM. <b>7. Stretcher</b> 8. Oxygen cylinder holder 9. Saline bottle holder. 10. Siren 11. Revolving Light 12. Fire Extinguisher 13. Anti-skid floor <b>14. Isolated Cabin</b> Equipped with <b>all accessories</b> offered should be the standard <b>model</b> .
17	Manuals	One copy of the operators and owner's instruction and maintenance manual in English.
18	Tools	A set of tools for general maintenance shall be supplied with a lockable tool box.
19	Color	Standard Color
20.	Warranty	Manufacturer shall provide a minimum one year warranty
21.	Accessories	1. First Aid Kit 2. Oxygen Cylinder, Flow Meter, Mask 3. Provision for IV Injection 4. Stretcher Cum Bed 5. Stethoscope, B.P. Apparatus, Torchlight

**NOTE:**

The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid

